



Velum: designed for automation machinery, cooling systems, recycling machines, printers and computers, woodworking machines, PCs, packaging machinery for the food, chemical industry, pharmaceutical and textile industries, refrigeration equipment, robots and CNC machines.



Velum air: ideal for compressors, cooling systems and heat exchangers. Velum Air has a thicker fabric but lower porosity than Velum and is designed to ensure better air flow and prevent overheating.



Velum motor: the perfect solution for the protection of electric motors. With its patented system and reusable holder in polypropylene, this filter can be applied to any kind of electric motor.

VELUM PROTECTS YOUR INVESTMENTS

Velum protective filters have been designed by Nitty-Gritty in order to protect electronic equipment for industrial manufacturing facilities, compressors and electric motors from oily mist and dust.

These substances block fresh air from going into the machine and cause the malfunction of the internal components.



Add value to your machines



1 velum roll: 2 years of total protection



no downtime



30% savings on maintenance costs



protect your business with only 20 cents per day



visual control allows you to change the filter regularly



it prevents the spread of harmful particles



no switch gear opening



5-second replacement



FAST PROTECTION FOR INDUSTRIAL **MACHINES**



Velum protective filter has been designed and realised to protect electric and electronic machines in industrial production plants from dust and oily mist. For their well-functioning and best productivity, all automations, robots and numerical control machines need constant maintenance operations and a regular filter replacement. Urgent deadlines that do not allow downtime, the lack of specialised manpower or even simple omissions may prevent companies from replacing filters regularly.

Velum protective filter is applied externally, directly to the entrance grid of ventilation and cooling systems of the production unit: once applied, Velum gathers and holds dust and oily mist in its patented-knitted fabric and ensures, while protecting the inner filter, the normal passage of fresh and clean air in the machine.

The Velum replacement check is purely visual: when the Velum protective filter is covered by polluting agents, you need to replace it. The replacement takes place in 5 seconds and you do not need any specialised manpower, thus avoiding downtimes and cutting down maintenance costs and any missed production costs that may be due to the inner filter replacement.

Velum is easy to apply and allows to efficiently plan the protection of any industrial machine: you just need to write down in the appropriate space the date of your last replacement and the name of the operator who has done it, so to avoid omissions, downtimes or breakdowns due to the missed replacement of the inner filter.

Composition	PLA
Color	White
Thickness	0,14 mm 0,0055 in
Roll lenght	22 m 22ft

Air permeability	4800 l/m2s
Flame retardant	AT type M1
Magnets	2-4

installation







replacement







video

Sizes









Applied Velum

To ensure the best production efficiency for your machines, replace Velum once a week. A Velum roll consists of 110 sheets: with only 20 cents per day, you can protect your machine for more than 2 years.



Applied Velum



FAST PROTECTION FOR COOLING **SYSTEMS**



Velum Air has a thicker fabric but lower porosity and is designed With this system you will avoid omissions, downtime to ensure better air flow and prevent overheating. It is ideal for compressors, cooling systems and heat exchangers. and the clogging of compressors, cooling systems Velum Air catches dust and dirt in his knitted fabric and ensures and heat exchangers. the normal input of fresh air inside the machine.

Control for its replacement is visual: when the protective filter **Velum Air** is completely covered by dirt, it must be replaced.

Velum Air is easy to apply and provides an efficient way to protect industrial machines of all kinds: simply write down the date of replacement and name of the operator who carried out the replacement.

or failures caused by the replacement of internal filters,

A roll of Velum Air is composed of 60 sheets. A few cents a day will protect your investments.

Composition	RAYON
Color	White
Thickness	0,29 mm 0,01141 in
Roll lenght	12 m 472,441 in

Air permeability	5600 l/m2s
Flame retardant	AT type M1
Magnets	2-4

installation







replacement







Sizes





Applied Velum Air

Changing the filter takes only 5 seconds and does not require skilled labour; this avoids any downtime, maintenance costs and loss of productivity which would occur when replacing internal filters.






FAST 45 PCS **PROTECTION** FOR COMPRESSORS

Velum air is available in the **XL version** for large format machines. Available sizes are: 1500 mm 59,1 in 1200 mm 47,2 in

1000 mm 39,4 in 900 mm 35,4 in 800 mm 31,5 in 700 mm 27,5 in 620 mm 24,4 in

We are also available to assess the needs of individual customers and start customized productions.



Air permeability	5200 I/m2s
Flame retardant	NO
Magnets	16-28

installation









replacement






video

x400 mm

XL Sizes





Applied Velum Air XL

VELUM SMART





Velum Smart is Velum's great innovation!

It's an automated scrolling system that brings Velum's installation and maintenance process to the next level.

With the filter automatic scrolling, the operator just needs to remove the used filter and load a new roll **once a year** when finished, instead of every week.

Velum Smart: make the most of your time!

Velum Smart is available either in a manual version and a remotely controlled via Android and iOS APP completely automated version.



Applied Velum Smart





Velum Smart Manual



video





FAST PROTECTION FOR ELECTRICAL **MOTORS**

Velum Motor is the perfect solution for the protection

Thanks to the patented system with reusable polypropylene support, this filter can be easily applied with a magnet and a normal O-Ring (included in the package).

This polyester filter **Velum Motor** can be easily applied on the fan of any kind of electric motor, and has many advantages:

- it protects precious investments such as machinery and equipment;
- it protects the life of the engine and avoids the spreading of suspended particles;

White

10 mm 0.3937 in





it reduces maintenance costs;

- no downtime thanks to easy application and replacement;
- it protects worker's health. Fans in the engines keep the air moving. If the air contains harmful particles, the fan moves contaminated air which is then inhaled by the workers;
- the visual control allows you to change the filter regularly so as to always ensure adequate air flow.













Ø 150

Ø 200

Ø 260






Ø 230





Ø 300





Composition

Thickness

Color







replacement







video





Used Velum Motor Magnetic attachment



APPLICATIONS

Machine tools

Automation machines

Industrial printers

Recycling machines

Industrial computers

Cooling plants

Machines for wood carving

Packaging rving machines

Machines for the food industries

Machines for chemical industries

Machines for Machines pharmaceutical textile industries

Machines for textile industries

Refrigeration machines

Personal computers





WHAT THEY SAY ABOUT US



"With this,
we do not have
to clean
our machines
and tools
every few months.

"Replace the filter in 5 seconds!



"We are really reaaallyyyy reaaaaallyyyyy happy with Velum filter and strongly recommend them.

"Velum has improved the performance of my motors.

"Extremely easily installed!



"We Velum we do not have to stop to clean the machine.

" Velum helps to keep my tools clean.





Proud distributors of

